

200W Portable Power Station

Model: HPS2000W



Product Introduction

- ◎ Fault self-inspection and self-repair
- ◎ High efficiency solar panel charging
- ◎ Multiple AC/DC interfaces, supporting power consumption of multiple devices at the same time
- ◎ Multiple protection such as BMS and intelligent system

Specification

Model	HPS2000W
Battery Capacity	2072Wh
Rated power	2000W
Peak Power	4000W
Inverter output wave form	Pure sine wave
DC Input	29.6V 5A
PV Input	36V 30A Maximum
AC Output	4*AC 220V/110V 50hz/60Hz
USB QC3.0 Output	4*QC3.0 24W
PD quick charge output	2*65W
Wireless charging output	2*Wireless charging 10 watts
DC Output	2 * DC output 12V 10A
Cigarette lighter output	1*Cigarette lighter output 12V10A
Battery Warranty	12 months
Electronic parts warranty	12 months
Depth of Discharge (DOD)	100%
Battery type	Lithium battery (LiFePo4)
Battery Life Cycles	1500
Input Charging time with adaptor 29.6V 20A customized	3.5 hours
Optional	
Charging time with solar panel 1000W	2.1 hours Max
Solar panel Size needed?	100W-1000W
Solar charging Controller mode – MPPT	MPPT
Supports charge and discharge & same time	yes
Test report and transport certificates available?	yes
MSDS, UN38.3 certificates available?	yes
Short-circuit protection	yes
Over-current protection	yes
Over-voltage protection	yes
Low-voltage protection	yes
Over-load Protection	yes
Over-temperature protection	yes
Over-charge Protection	yes
Product size	384*249*290mm
DC adapter 29.6V 5A size (W)	173*73*34mm
Box packaging	430*295*335mm
Outer box size	440*305*345mm

Gross weight	20.5 KG;
Net weight	23 KG;
Package Include	1*2072Wh portable power station 1*DC adapter 29.6V 5A ; 1*User's manual; 1*warranty card



HIMAX



HIMAX TECHNOLOGY LIMITED

www.himax-technology.com

Email: sales@himax-technology.com

F10, Fuhong Building, No.120 Yongfu Road, Qiaotou Community Fuhai Street, BaoanDistrict, Shenzhen China



Company Website